

L Number	Hits	Search Text	DB	Time stamp
1	461	348/294.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:21
2	298	348/302.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:21
3	525	348/308.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:46
4	649	348/207.99.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:22
5	2310	250/208.1.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:22
6	540	257/291.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:23
7	602	257/292.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:23
9	69568	Hyundai.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:24
10	8	348/308.ccls. and Hyundai.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:33
11	517	348/308.ccls. not (348/308.ccls. and Hyundai.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:25
12	30633	feedback near2 output	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:34
13	19	348/308.ccls. and (feedback near2 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:34
14	15	("5572074" "5698844" "5714909" "5880460" "5892540" "5962844" "5969758" "6130423" "6163024" "6169317" "6191412" "6204524" "6218656" "6438276" "6532040").PN.	USPAT	2004/09/04 08:35
15	27617	reset\$3 with control\$4 with output\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:58
16	91	348/308.ccls. and (reset\$3 with control\$4 with output\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:47

17	4690	reset adj1 (transistor or gate)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:18
19	1347764	column or (signal near1 output)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:59
20	417	(reset adj1 (transistor or gate)) with (column or (signal near1 output))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 08:59
21	55444	reset adj1 (signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:18
22	634	(reset adj1 (transistor or gate)) with (reset adj1 (signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:19
23	54	(column or (signal near1 output)) with ((reset adj1 (transistor or gate)) with (reset adj1 (signal)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:19
24	459	(signal adj1 level) with (output adj1 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:33
25	1	(signal adj1 level) with (output adj1 line) with control\$2 with (reset adj1 transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:20
26	1	(signal adj1 level) with (output adj1 line) with control\$2 with (reset)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:33
27	8	(signal adj1 level) with (output) with control\$2 with (reset adj1 transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:22
28	42	((column adj1 line) or (output adj1 line)) with (reset\$3 adj1 transistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:26
29	93	variable near2 reset near2 (signal or pulse)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:26
34	2	5424529.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:35
35	13	5933190.URPN.	USPAT	2004/09/04 09:39
36	179	(reset adj1 line) with ((output or colum) adj1 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:40
37	17727	reset.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:47

38	39	(348/294.ccls. or 348/302.ccls. or 348/308.ccls.) and reset.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:52
40	284	(photo\$1diode\$1) and (transfer\$3 adj1 transistor) and (reset\$3 adj1 transistor) and (CMOS or aps or (active adj1 pixel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:56
41	78724	reset near1 (supply or line or signal or pulse)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:57
42	750080	(output near1 (line or signal or column)) or (column near1 (line or output or signal))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:58
43	6545016	connect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 09:58
44	1453	(reset near1 (supply or line or signal or pulse)) with ((output near1 (line or signal or column)) or (column near1 (line or output or signal))) with connect\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 10:02
45	221	((reset near1 (supply or line or signal or pulse)) with ((output near1 (line or signal or column)) or (column near1 (line or output or signal))) with connect\$3) and (CMOS or aps or (active adj1 pixel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 10:02
46	1	"5519751".PN.	USPAT	2004/09/04 10:03
49	8	"935589"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/04 10:52